Materials

- 1. C3604 brass, nickel plated
- 2. C3604 brass, nickel plated
- 3. C3604 brass, nickel plated
- 4. C3604 brass, nickel plated
- 5. POM, black

Electrical requirements

Dielectric strength: 1 min @ 500 Vac and 2mA Insulation resistance: 100 M Ω @ 500 Vdc Contact resistance: 50 m Ω or less

Mechanical requirements

Durability: 5000 mating cycles while maintaining normal operation and $< 50m\Omega$ Bending strength: ≥ 3.2 kg Breaking strength: ≥ 6.8 kg

Environmental tests

Salt spray test: 5% NaCl spray at 1ml/80cm²/h, chamber temp 46.5°C, spray temp 35°C, 87% humidity, 48 hours. No oxidation.

Cold resistance: -25°C \pm 3 for 2 hours with no degradation. Heat resistance: 85°C \pm 3 for 2 hours with no degradation.

Operating range

REVISION DATE

3/6/14

А

-30 to 85 °C



2

1

5

DESCRIPTION

Initial release

Λ

3