

Part Number: 5500F1



Security & Sound, #22-2c, TC, Shielded, CM, Water-Blocked

# **Product Description**

Security & Sound Cable, Rated-CM, 2-22 AWG stranded tinned copper conductors with PVC insulation, waterblocking tape, Beldfoil® shield and PVC jacket with ripcord

# **Technical Specifications**

# **Physical Characteristics (Overall)**

Condu	ctor		
AWG	Stranding	Material	No. of Conductors
22	7x30	TC - Tinned Copper	2
Conductor Count:			
Conductor Size:			

#### Insulation

Material	Nominal Wall Thickness
PVC - Polyvinyl Chloride	0.01 in

## **Color Chart**

Number	Color
1	Black
2	Red

#### **Outer Shield Material**

Туре	Material	Material Trade Name	Coverage [%]	Drainwire Materia	Drainwire AWG	Drainwire Construction n x D
Tape	Aluminum/Polyester	Beldfoil®	100 %	TC - Tinned Coppe	r 24	solid
Note: Non-woven waterb				voven waterblocking	tape	

# Outer Jacket Material

Material	Nominal Diameter	Nominal Wall Thickness	Ripcord
PVC - Polyvinyl Chloride	0.196 in	0.025 in	Yes

## **Electrical Characteristics**

# Conductor DCR

Nominal Conductor DCR	Nominal Conductor DCR Conductor Resistance	Nominal Outer Shield DCR	
16.1 Ohm/1000ft	16.1 Ohm/1000ft	16.8 Ohm/1000ft	

## Capacitance

Nom. Capacitance Conductor to Conductor	Nom. Capacitance Conductor to Other Conductor to Shield	
46 pF/ft	82.8 pF/ft	
Shielding:		Foil(s) or Copper Tape(s)

# Current

Max. Recommended Current [A]
Per conductor @ 25°C: 2.8 A

#### Voltage

UL Voltage Rating

## **Temperature Range**

Operating Temp Range:	-20°C To +105°C

#### **Mechanical Characteristics**

Bulk Cable Weight:	15.7 lbs/1000ft
Max Recommended Pulling Tension:	23.7 lbs
Min Bend Radius/Minor Axis:	2 in

# **Standards**

NEC Articles:	800
NEC/(UL) Specification:	CM
CEC/C(UL) Specification:	CM
CPR Euroclass:	Eca

## **Applicable Environmental and Other Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	Yes
EU CE Mark:	Yes
EU RoHS Compliance Date (yyyy-mm-dd):	2005-10-01
CA Prop 65 (CJ for Wire & Cable):	Yes
MII Order #39 (China RoHS):	Yes

## Suitability

Suitability - Indoor:	Yes
Suitability - Outdoor:	Yes

## Flammability, LS0H, Toxicity Testing

UL Flammability:	UL1685 UL Loading
CSA Flammability:	FT1
UL voltage rating:	300 V RMS

#### Plenum/Non-Plenum

Plenum (Y/N):	No

# **Part Number**

#### Variants

Item #	Color	Footnote
5500F1 0101000	Black	
5500F1 0081000	Gray	С
Footnote:		

## © 2018 Belden, Inc

#### All Rights Reserved

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.