


Specification Control Drawing

a) Part as supplied.


362W046







b) Part after unrestricted recovery.



DIMENSIONS (in millimetres for reference)

	ŀ	+	`	J	k	<	P	R	S	T	U	JO	KO	HW	JW	KW
Part	Min	Max	Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%	±20%
Number	а	b	а	b	а	b	b	b	b	b	b	b	b	b	b	b
362W046	50 {1.97}	33.7 {1.33}	24 {0.94}	7.4 {0.29}	24 {0.94}	7.4 {0.29}	80 {3.15}	89 {3.50}	35 {1.38}	3.0 {0.12}	1.7 {0.07}	25 {0.98}	25 {0.98}	2.0 {0.08}	1.5 {0.06}	1.5 {0.06}

Copyright(!)

Approval

Design


The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

MKTG.

Tech.

R	aychem	Specific Control	ation Drawing	Part Number 362W046 Issue 1
Iss.	Date	E.C.R. No.	Detail	ls of Change

Ordering Information



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number		
-3	POLYOLEFIN, SEMI-RIGID	RT-301	/42 ,/86, /180		
-4	POLYOLEFIN, FLEXIBLE	RT-1304	/42 ,/86, /180		
-25	ELASTOMER, FLUID RESISTANT	RW-2070	/42, /86, /225		
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42		

NOTES

1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Faraday Road, Swindon, Wiltshire, SN3 5HH England	Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090