NOTES:
I. MATERIALS OF CONSTRUCTION: INSULATOR - PTFE

SPRING WASHER - BERYLLIUM COPPER, NICKLE PLATE

CONTACT - BRASS, GOLD PLATE


ALL OTHER METAL PARTS - BRASS, NICKEL PLATE


2. THIS CONNECTOR MATES WITH ANY 75Ω JACK.


3. THIS CONNECTOR MEETS THE REQUIREMENTS OF LUCENT SPEC. KS-23558 AND L-738427.

4. FOR ASSEMBLY INSTRUCTIONS SEE 999-596. 5. DO NOT SCALE THIS DRAWING.

| 31-70228-XXXX REVISIONS |     |                               |         |       |      |
|-------------------------|-----|-------------------------------|---------|-------|------|
| DRAWING NO.             | REV | DESCRIPTION                   | DATE    | ECO   | APPR |
| THIRD ANGLE PROJ. 🕀 🖯   | A   | OFFICIAL ENG. RELEASE TO MFG. | 3/10/99 | 42814 | CPM/ |







## CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

| DRAWING NO.   | PACKING     |
|---------------|-------------|
| 31-70228-1001 | I PER BAG   |
| 31-70228-1012 | 12 PER BAG  |
| 31-70228-1100 | 100 PER BAG |

|   | 2 PLACE DECIMAL<br>±.015 (0.381 mm) | 3 PLACE DECIMAL<br>±.005 (0,127 mm)                                | ANGLES<br>+ 1°              |
|---|-------------------------------------|--|-----------------------------|
| ŀ |                                     |  | ·                           |
|   | property of Amphenal Corp           | ecifications, or other data (1:<br>(2) must be returned upon reque | ) are, and remain the       |
|   | confidential and not to be          | disclosed to any person other                                      | than those to whom they     |
|   | are given by Amphenol Corp.         | The furnishing of these drawi                                      | ings, specifications, or    |
|   | other data by Amphenol Corp         | ., or to any other person to an<br>cation or otherwise in any mann | nyone for any purpose is    |
|   |                                     | older or any other person to mo                                    |                             |
|   | product, process or design,         | patented or otherwise, that mo                                     | ay in any way be related to |
|   | or alsolosed by said drawing        | gs, specifications, or other do                                    | 1 f a ,                     |

| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°  | MATERIAL  |
|---|---|
| NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are  |   |
| confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or self any | REFERENCE<br>EAR 967149-2<br>GEN# ASSYM6_BNC<br>31-70228-0001 |

| DRAWN       | DATE      |
|-------------|-----------|
| C. McGRATH  | 22-Jan-99 |
| ENGINEER    | DATE      |
| G. ANTONINI | 22-Jan-99 |
| APPROVED    | DATE      |
| 1. luli     | 3/4/99    |
| CAD FILE    |           |

1:\BNC\_75\31-70228-XXXX

| 75  | OHM   | BNC | PLUG  | FOR |
|-----|-------|-----|-------|-----|
| 8TA | VT 73 | 34A | CABLE |     |

TITLE

| Amphe        | eno l            |
|--------------|------------------|
| Amphenol     | Corporation      |
| Communicat   | tion and Network |
| Products [   | Division         |
| Danbury, CT  | U.S.A. 06810     |
| SCALE: 6.0:1 | SHEET   OF       |

|         |          | 1 3           |     |
|---------|----------|---------------|-----|
| CODE ID | DWG SIZE |               | REV |
| 74868   | В        | 31-70228-XXXX | Α   |