

**ROHS COMPLIANT** 

## **PRODUCT DATA DRAWING**

REVISION HISTORY				
REV	DESCRIPTION	DATE	APPROVED	
Α	DCN 39115	05/12	STW	





## **MATERIAL:**

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1 BODY:

CONTACT: BERYLLIUM COPPER PER ASTM B196,

ALLOY No. UNS C17300, TD04

TERMINAL: BRASS PER ASTM B16, ALLOY UNS No. C36000

**INSULATORS:** PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B

FINISH:

BODY,

**CONTACT &** 

TERMINAL:

GOLD PER ASTM B 488, TYPE II, CODE C, CLASS .76, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00010" MIN.

**PERFORMANCE:** 

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 12.4 GHz

MATERIAL:	SEE NOTES				
FINISH:	SEE NOTES				
SURFACE AR	rea: <b>N/A</b>				
	PROPRIETARY				
IS THE SOLE F ANY REPRODI WITHOUT THE	TION CONTAINED IN THIS DRAWI PROPERTY OF SV MICROWAVE, II JCTION IN PART OR AS A WHOLE I WRITTEN PERMISSION OF /E, INC IS PROHIBITED.				

	DIMENSIONS ARE IN INCHES TOLERANCES:
_	FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'
	DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005
	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994
	THIRD ANGLE PROJECTION

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING.
3) BREAK CORNERS & EDGES 005 R. MAX.
4) CHAM. 1ST & LAST THREADS.
5) SURFACE ROUGHNESS 63-MIL-STD-10.
6) DIA:S ON COMMON CENTERS TO BE CONCENTRIC WITHIN. 005 T.I.R.
7) REMOVE ALL BURRS

APPROVED

DRAWN: RD 07/08/77 CHECKED:

**UNLESS OTHERWISE SPECIFIED** 

## SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

SMA R/A JACK FOR PRINTED CIRCUIT BOARD

2986-6001 B 95077 DGG 07/13/77 SCALE: 4:1 SHEET 1 OF 1